



An American Legend

Lord & Burnham greenhouses are made of strong, extruded aluminum frames, tempered glass, and energy-efficient engineering so you can enjoy year-round gardening in a beautiful greenhouse.

lordandburnham.com
440-877-7001

Lord & Burnham Greenhouse


Model O-10 G



Straight Eave, Glass to Ground

8' - 10 $\frac{1}{4}$ " wide

9' - 1" high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

Lord & Burnham Greenhouse


Model O-10 KW



Straight Eave, Kneewall

8' - 10 $\frac{1}{4}$ " wide

9' - 0 $\frac{3}{4}$ " high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

Lord & Burnham Greenhouse


Model O-14 G



Straight Eave, Glass to Ground

13' - 5 $\frac{3}{4}$ " wide

9' - 3" high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "


Lord & Burnham Greenhouse
Model O-14 KW



Straight Eave, Kneewall

13' - 5¾" wide

9' - 2¾" high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- ⅛" Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

Greenhouse Table of Lengths

# OF GLASS BAYS (30 - ¾" SECTIONS)	FRAME LENGTH
2	5' - 5¼"
3	8'
4	10' - 6¾"
5	13' - 1½"
6	15' - 8¼"
7	18' - 3"
8	20' - 9¾"
9	23' - 4½"
10	25' - 11¼"
11	28' - 6"
12	31' - ¾"
13	33' - 7½"
14	36' - 2¼"
15	38' - 9"
16	41' - 3¾"
17	43' - 10½"
18	46' - 5¼"
19	49'
20	51' - 6¾"

greenhouse@lordandburnham.com
440-877-7001
LordandBurnham.com

Lord & Burnham Greenhouse


Model C-10 G



Curved Eave, Glass to Ground

10' - 4¼" wide

9' - 5½" high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- ⅛" Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Greenhouse Table of Lengths

# OF GLASS BAYS (30 - ¾" SECTIONS)	FRAME LENGTH
2	5' - 5¼"
3	8'
4	10' - 6¾"
5	13' - 1½"
6	15' - 8¼"
7	18' - 3"
8	20' - 9¾"
9	23' - 4½"
10	25' - 11¼"
11	28' - 6"
12	31' - ¾"
13	33' - 7½"
14	36' - 2¼"
15	38' - 9"
16	41' - 3¾"
17	43' - 10½"
18	46' - 5¼"
19	49'
20	51' - 6¾"

Lord & Burnham Greenhouse


Model C-10 KW



Curved Eave, Kneewall

10' - 4¼" wide

9' - 7⅜" high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- ⅛" Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

Greenhouse Table of Lengths	
# OF GLASS BAYS (30 - ¾" SECTIONS)	FRAME LENGTH
2	5' - 5¼"
3	8'
4	10' - 6¾"
5	13' - 1½"
6	15' - 8¼"
7	18' - 3"
8	20' - 9¾"
9	23' - 4½"
10	25' - 11¼"
11	28' - 6"
12	31' - ¾"
13	33' - 7½"
14	36' - 2¼"
15	38' - 9"
16	41' - 3¾"
17	43' - 10½"
18	46' - 5¼"
19	49'
20	51' - 6¾"

greenhouse@lordandburnham.com
440-877-7001
LordandBurnham.com

Lord & Burnham Greenhouse


Model C-14 G



Curved Eave, Glass to Ground

13' - 5" wide

10' - 2 $\frac{11}{16}$ " high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Quality Glass Greenhouses Since 1850

Greenhouse Table of Lengths


# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

Lord & Burnham Greenhouse
Model C-14 KW



Curved Eave, Kneewall

13' - 5" wide
10' - 4⁹/₁₆" high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- 1/8" Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

Greenhouse Table of Lengths	
# OF GLASS BAYS (30 - 3/4" SECTIONS)	FRAME LENGTH
2	5' - 5 1/4"
3	8'
4	10' - 6 3/4"
5	13' - 1 1/2"
6	15' - 8 1/4"
7	18' - 3"
8	20' - 9 3/4"
9	23' - 4 1/2"
10	25' - 11 1/4"
11	28' - 6"
12	31' - 3/4"
13	33' - 7 1/2"
14	36' - 2 1/4"
15	38' - 9"
16	41' - 3 3/4"
17	43' - 10 1/2"
18	46' - 5 1/4"
19	49'
20	51' - 6 3/4"

greenhouse@lordandburnham.com
440-877-7001
LordandBurnham.com



Lord & Burnham Greenhouse


Model LTC-7 G



Curved Eave, Glass to Ground

6' - 10" wide

10' - 3³/₁₆" high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- 1/8" Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

Greenhouse Table of Lengths	
# OF GLASS BAYS (30 - 3/4" SECTIONS)	FRAME LENGTH
2	5' - 5 1/4"
3	8'
4	10' - 6 3/4"
5	13' - 1 1/2"
6	15' - 8 1/4"
7	18' - 3"
8	20' - 9 3/4"
9	23' - 4 1/2"
10	25' - 11 1/4"
11	28' - 6"
12	31' - 3/4"
13	33' - 7 1/2"
14	36' - 2 1/4"
15	38' - 9"
16	41' - 3 3/4"
17	43' - 10 1/2"
18	46' - 5 1/4"
19	49'
20	51' - 6 3/4"

greenhouse@lordandburnham.com
440-877-7001
LordandBurnham.com

Lord & Burnham Greenhouse


Model LTC-7 KW



Curved Eave, Kneewall

6' - 10" wide

10' - 5 $\frac{1}{16}$ " high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Quality Glass Greenhouses Since 1850

Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

Lord & Burnham Greenhouse


Model LTC-9 G



Curved Eave, Glass to Ground

9' - 4 $\frac{3}{4}$ " wide

10' - 3 $\frac{11}{16}$ " high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Quality Glass Greenhouses Since 1850

Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

Lord & Burnham Greenhouse


Model LTC-9 KW



Curved Eave, Kneewall

9' - 4 $\frac{3}{4}$ " wide

10' - 5 $\frac{9}{16}$ " high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Quality Glass Greenhouses Since 1850

Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

Lord & Burnham Greenhouse


Model LT-7 G



Straight Eave, Glass to Ground

6' - 10 $\frac{3}{8}$ " wide

9' - 3 $\frac{1}{2}$ " high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

Lord & Burnham Greenhouse


Model LT-7 KW



Straight Eave, Kneewall

6' - 10 $\frac{3}{8}$ " wide

9' - 3 $\frac{1}{4}$ " high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

greenhouse@lordandburnham.com
440-877-7001
LordandBurnham.com



Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

Lord & Burnham Greenhouse


Model LT-9 G



Straight Eave, Glass to Ground

9' - 5½" wide

9' - 4" high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- ⅛" Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

Greenhouse Table of Lengths

# OF GLASS BAYS (30 - ¾" SECTIONS)	FRAME LENGTH
2	5' - 5¼"
3	8'
4	10' - 6¾"
5	13' - 1½"
6	15' - 8¼"
7	18' - 3"
8	20' - 9¾"
9	23' - 4½"
10	25' - 11¼"
11	28' - 6"
12	31' - ¾"
13	33' - 7½"
14	36' - 2¼"
15	38' - 9"
16	41' - 3¾"
17	43' - 10½"
18	46' - 5¼"
19	49'
20	51' - 6¾"

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com



Lord & Burnham Greenhouse


Model LT-9 KW



Straight Eave, Kneewall

9' - 5 $\frac{1}{8}$ " wide

9' - 3 $\frac{3}{4}$ " high



Our Greenhouse Kits Include:

- Strong Extruded Aluminum Frame
- Stainless Steel Hardware
- $\frac{1}{8}$ " Single-pane Tempered Glass
- Motorized (or Manual) Ridge Vents
- 36" Aluminum Door w/ Retractable Screen & Lock
- Engineered for 20 lb Snow Loads and 105 mph Winds
- Installation Manual & Videos
- Unlimited Technical Phone Support
- Heating, Cooling, Lighting, Bench Options Available

Greenhouse Table of Lengths

# OF GLASS BAYS (30 - $\frac{3}{4}$ " SECTIONS)	FRAME LENGTH
2	5' - 5 $\frac{1}{4}$ "
3	8'
4	10' - 6 $\frac{3}{4}$ "
5	13' - 1 $\frac{1}{2}$ "
6	15' - 8 $\frac{1}{4}$ "
7	18' - 3"
8	20' - 9 $\frac{3}{4}$ "
9	23' - 4 $\frac{1}{2}$ "
10	25' - 11 $\frac{1}{4}$ "
11	28' - 6"
12	31' - $\frac{3}{4}$ "
13	33' - 7 $\frac{1}{2}$ "
14	36' - 2 $\frac{1}{4}$ "
15	38' - 9"
16	41' - 3 $\frac{3}{4}$ "
17	43' - 10 $\frac{1}{2}$ "
18	46' - 5 $\frac{1}{4}$ "
19	49'
20	51' - 6 $\frac{3}{4}$ "

greenhouse@lordandburnham.com

440-877-7001

LordandBurnham.com